

# Peripheral

## BF-02 Bracket Cooling Fan

### SPECIFICATIONS

- ◆ Ball bearing type cooling fan
- ◆ 12V/0.15A power requirement
- ◆ Max. air flow : 42CFM
- ◆ Operation Temperature : -10° ~ 60°C
- ◆ Dimensions : 90 x 110 x 20 (Fan body)

### ORDERING INFORMATION

- ◆ BF-02 : Bracket cooling fan



## CF-512 High Performance Copper type cooler

### SPECIFICATIONS

- ◆ Support socket 370/462/478 CPU
- ◆ Support Pentium 4 CPU up to 2.5GHz
- ◆ Two ball bearing cooling fan
- ◆ Dimensions: 60(W) x 60(D) x 30(H) mm

### ORDERING INFORMATION

- ◆ CF-512: Socket 370/462/478 CPU cooler  
Support IEI P4 SBC, SAGP-845, PSB-4710, POS-478 and NOVA-8890



## CF-401 486 CPU Cooler

### SPECIFICATIONS

- ◆ Ball bearing type cooling fan
- ◆ Supports 486 or 5x86 CPU
- ◆ Max. air flow : 42CFM

### ORDERING INFORMATION

- ◆ CF-401 : 486 CPU cooler



## CF-513 High Performance Copper Base CPU cooler

### SPECIFICATIONS

- ◆ Support socket 370/462/478 CPU
- ◆ Support Pentium 4 CPU up to 3.06GHz
- ◆ Two ball bearing cooling fan
- ◆ Dimensions: 62(W) x 80(D) x 70.5(H) mm

### ORDERING INFORMATION

- ◆ CF-513: Socket 370/462/478 CPU cooler  
Support IEI P4 SBC, SAGP-845, PSB-4710, POS-478 and NOVA-8890



## CF-502 Socket-7 CPU Cooler

### SPECIFICATIONS

- ◆ Ball bearing type cooling fan
- ◆ 12V/0.14A power requirement
- ◆ Support RPM (Fan Speed) detecting signal output
- ◆ Power connectors for CPU Card/Backplane & CD-ROM
- ◆ Dimensions : 50(W) x 50(D) x 30(H)mm

### ORDERING INFORMATION

- ◆ CF-502 : Socket-7 CPU cooler



## CF-514 High Performance Skiving Pentium 4 CPU cooler

### SPECIFICATIONS

- ◆ Material: Aluminum Skiving
- ◆ Dimensions: 83(W)x69(D)x55(H) mm
- ◆ Fin pitch: 0.7mm
- ◆ Fin thickness: 0.15mm
- ◆ Two ball bearing cooling fan
- ◆ Capability: 86 W

### ORDERING INFORMATION

- ◆ CF-514: High Performance skiving Pentium 4 CPU cooler




## CF-504 Slim Type Copper Socket-7/370 CPU Cooler

### SPECIFICATIONS

- ◆ Ball bearing type cooling fan
- ◆ Heat sink made by copper
- ◆ Support RPM (Fan Speed) detecting signal output
- ◆ Most suitable for ICP series CPU card with
- ◆ RACK-230A/232/250 .... 1U chassis
- ◆ Dimensions : 52(W) x 51(D) x 21(H)mm

### ORDERING INFORMATION

- ◆ CF-504 : Slim type copper socket-7/370 CPU cooler



## CF-515

### High Performance Skiving Pentium 4-M CPU cooler

### SPECIFICATIONS

- ◆ Material: Aluminum Skiving
- ◆ Dimensions: 62(W)x60(D)x37(H)mm
- ◆ Two ball bearing cooling fan
- ◆ Capability: 60 W

### ORDERING INFORMATION

- ◆ CF-515: High Performance skiving Pentium 4-M CPU cooler



## CF-507 Socket-370 Blower Copper Cooler

### SPECIFICATIONS

- ◆ The best cooler designed for 1U server application
- ◆ Support RPM(Fan Speed) detecting signal output
- ◆ Ball bearing type cooling fan
- ◆ Heat sink made by copper
- ◆ Dimensions : 53(W)x51(D)x27(H)mm

### ORDERING INFORMATION

- ◆ CF-507 : Socket-370 Blower Copper Cooler



## CF-518

### High Performance Pentium-M Cooler

### SPECIFICATIONS

- ◆ Material: Aluminum
- ◆ Dimension: 60(W)x60(D)x26(H)mm
- ◆ Capability: Upto Pentium-M 1.8GHz

### ORDERING INFORMATION

- ◆ CF-518: High Performance Pentium-M Cooler

**Coming  
Soon**



## CF-508

### AMD K7 CPU Cooler with CPU Protector

### SPECIFICATIONS

- ◆ Support Socket 462 AMD K7 CPU
- ◆ 2 Ball bearing type cooling fan
- ◆ Dimensions: 60(W) x 60(D)x 68(H)mm

### ORDERING INFORMATION

- ◆ CF-508:AMD K7 CPU cooler with CPU protector  
•This protector is used as a buffer to protect the CPU die from the fan sink.



## CF-KIT02

### Socket 478 retention kit full metal material

### SPECIFICATION

- ◆ Material: Steel
- ◆ Dimensions: 89(W) x 78(D) x 33(H) mm
- ◆ 4 silicon rubbers can fix most type of socket 478 cooler fans.
- ◆ Steel structure prevents transformation and broken issue of transportation



Single Board Computer

LCD Product Series

Chassis

Power supply

Peripheral